Qty:

40 Um:

Each

: LOCK PLATE

: D2534 REV D

: D2534

: N/A

: NIA

: 2/28/2006

; D

0602-16

Wednesday, 2/15/2006 3:45:53 PM

User: 🖠

Kim Johnston

Process Sheet

Drawing Name

Part Number

Material

Due Date

Drawing Number

Project Number

Drawing Revision

Customer

: CU-DAR001 Dart Helicopters Services

Job Number **Estimate Number** : 25825A

: 10332

P.O. Number

: N/A

This Issue : 2/15/2006

: NC Prsht Rev. : NIA First Issue

: 24876A

Previous Run

Written By

Checked & Approved By

Comment

: SMALL /MED FAB

S.O. No. : NA

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

PG 1.0

PURCHASING

11

Comment: PURCHASING

Order (2) D2534 per (1) D2530

Issue P/O: <u>6/03</u>

Email or ship DXF file to vendor

Laser cut D2534 flat pattern per Dwg D2534

Material release note required

2.0 D2534F Lock Plate



Comment: Qty.:

2.0000 Each(s)/Unit

80.0000 Each(s)

Lock Plate

3.0 PACKAGING 1 PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1 Receive & Inspect For Transit Damage

Ensure material certification is attached

4.0 QC6 DIMENSIONAL CHECK

Comment: Inspect dimensions per template D2534-T1

SMALL FAB 1 5.0

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr



Dart Aerospace

W /O:			WORK ORDER CHANGES					
DATE	STEP	4	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	:							
11 (2) € 1		·						

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date: <u>06/03/</u> 3
			QA: N/C Closed:	Date:

NCR:			WORK OR	DER NON-CONFORMANO	CE (NCR)			
		Description of NC		Corrective Action Section B		Varification	A	A
DATE	STEP	Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspecto
			·					
		•						
				·			^	
								
						,		:

NOTE: Date & initial all entries

Da..... User:

Wednesday, 2/15/2006 3:45:54 PM Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: LOCK PLATE

Job Number: 25825A

Part Number: D2534

Job Number:



Seq. #:

Machine Or Operation:

Description:

6.0

PACKAGING 1

PACKAGING RESOURCE #1

PACKAGING RESOURCE #

Comment: PACKAGING RESOURCE #1

Identify and Stock

Job Completion



Inspection Level 21

Da 03 29

Dart Ae	rospace L	td							
W/O:			WC	ORK ORDER CHANGES		=.			
DATE	STEP	PR	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
·									
Part No		PAR #:	Fault Cate	gory: N				Date: _ Date: _	
NCR:		,	WORK ORDI	ER NON-CONFORMANO					
		Description of NC		Verific	ation	Approval	Approval		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	ion Sign & Sec			Chief Eng	QC Inspector
							1	i	
							· · ·		


NOTE: Date & initial all entries



DESI	GN	DRAWN BY	DART AEROSPACE	LTD	
В	WILLIAMS	PH .	VICTORIA INTERNATIONAL AIRPORT,	CANADA	
CHE	CKED M	APPROVED	DRAWING NO.		REV. D
	-# -	4	D2534	SHEET	1 OF 1
DATE			TITLE		SCALE
04.	.12.14		LOCK PLATE		1:1
С		96.07.26	HOLE WAS 0.328		

UPDATE NOTES

RELEAS GD 04.12.16



D2534 LOCK PLATE

RETURN TO AISI 304/316 STAINLESS STEEL SHEET 11 GAUGE (0.125 THICK) IGINEERING UNCONTROLLED COPY 1) MATERIAL: SUBJECT TO AMENDMENT (REF. DART SPEC. M304S11GA) WITHOUT NOTICE NONE

2) FINISH:

3) BREAK ALL SHARP EDGES TO 0.005 TO 0.015

4) ALL DIMENSIONS ARE IN INCHES

5) ALL TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

WORK ORDER

SHOP COPY

				* (B)
		,		
	$g \in \widehat{\mathbb{A}}_{n+1}$			
figure.				
				100
				÷
\$5.↓ 1				
· 藏。				
				i.
			•	
toria. Žid			•	_
	•			*
Sec. : 3 :				•
			¢.	•
) 1 년 왕 (1			-	* ₹
A	The state of the s			4
	A STATE OF THE STA	 		1

PSTURUPUUL

CCT-20-2905 15:06 OLBERT METAL SALES
WILKINSON STEEL AND METALSPOARD PS10720PC002V
STADDLES OR COIL 100
PART NO.

905 795 1320 P. 02 2 BL VAL-000504-001 200c405 Pg 1/1

(I)

Certified in accordance to Pressure Equipment Directive 97/23/EC.Annex L.,
Piumgraph 4.3 by TÜV Aningetechnik GmbH (Notified Body Identification No.0035)
Inspection Certificate EN10204-3.18

Shanxi	Toigeng Stain	less Steel (CO.,L	TD Memi	et			WTI	L TEST	DEN 14	Zur.	ن نا		
of Taly	uan Iron and S	Steel (Gro	up) Co	o.,LTD		TERL	AL.	VI	\$1304 No.2A	Pintsh		` .		
NO.2 ii	aneauping, Taiyu	an Shaoxí P	.R.Chir	10	1 .		ATIO	N AS	TM A240/M	60	ASM	ESA	140/SA	480
	0351)301 3328 F				LI	C N	8/			\mathcal{A}		رُ ب	الم	1
	ww.tisce.com.cn				CE	rtry	CATE	NO. 20	030636 🔍	//		de		
	: rgbxg@lisco.co				DA	TE O	ISSU	E	" /					
·	CUSTOMER			***************************************	CON	TRAC	TUO.				1	ΛΤΛ	OF	
OLBER						1149	_			U	// . 6	003/0	6/20	
	Product		Moting !	furnace		inspo	ciocs si	Anp		Mark of t	6 Mario	(aply)	e.r	
			•			6	- A-				V .			
COIL			E	PVOD		(2)	×	3)	Shanz	i Taiy ua u	Steini	our S	teel C	o.,Itd
4000 Sept.								<u> </u>		·	- i			
NO.	Heat No		Coi	i No.	Q١	motity	1		Dimens			WE	ighi (k	
8	QBP1153	5A	1-278-1Z	B			1	20G		×C	1:	. :		8528 5396
3	Y301898	3	1.419.42				1	140	A × 48	×C		٠ ;		\$192
1	4501977	- 1	1-348-12	į.			1	140		X C	**	. :		7709
+1	4501969	1	1-416-42	1			1	14G		x C	1.3	, i		7495
12	4501968	1	1.415.42 1.367.1%			, me .	1	110		× C				1127
13	4500491	1	5-18-4 2 J	. 1			1	20G		x C	.,			7568
14	11/0/1/1					************			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	·····		;		
								<u> </u>				• •	<u></u>	
Chemic	al Composition					· · · · · · · · · · · · · · · · · · ·			T 30 T	- AL T	Al j	+	Mo	И
	Heat No.	С	Si	Mn	P	. S		Cr	Ni	Cu	- 13 ,5 	+	170	0.039
QBPIII	3 .	0.049	0.470	1.090	0.023		003	18.340	-{			1		0.039
Y50189	¥	0.036	0.430	1.000	0.029	***	.004	18.420				+		
4501077		0.070	0.470	1.310	0.019	0.	.002	18.050			. 	1		0.050
4501969		0.630	0.430	1,270	0.018	٥.	.002	18,020	· 			1		0.050
4501968		0.060	0.460	1.350	0.018	0.	.003	18,120	8.100		<u> </u>	ļ,		0.050
4501965	, , , , , , , , , , , , , , , , , , ,	0.050	0,440	1 320	0.019	٥	.002	18,140	8.090		• :	1.		0.050
1500491		0.050	0,500	1,340	0.020	0.	002	18.040	8.000					0.030
	~ *********************************										, .	. :		
Meen	mical Propertices		7	- Y-				T				الماسلة	a / (*
	Tem No.	Tensile R m			l ∌iY 9,1°		,	Earlon	Corresion	HRD		IIV		HRC
-	N. D. A. C.	N/mm² N/mm²		Naue			5% Yusts		,,,,	┪—		175		
QBriii	3-1	670		290				55			_			
Y50189	8-T	665		269				60			3.			
4501977	7-1	6.15]	279				60			6 . 1			
4501969)• T	653]	108		-		61			4		}	
4501968	3-1	650		294				58			4			····
450196		650	1	283				60			5			
450049		660	1	329				60			1	·	. 172	
	e and dimensions	controlled	O.K								. ;	,		
Corfor				. ,							•	'		
Surfac				A Section	' 1							!		

The Vallage of Annual TRAnspire savigm

P.0:603

977)

TOTAL P.02